

2002 Massachusetts/New Jersey 'Cameo' Dwarf Rootstock Trial

Jon M. Clements, Wesley R. Autio, and James Krupa
University of Massachusetts

Winfred P. Cowgill, Jr., Rebecca Magron, and Suzanne Sollner-Figler
Rutgers University

Planting Description and Protocol

In 2002, NC-140 plantings were established at the University of Massachusetts Cold Spring Orchard Research & Education Center in Belchertown, MA and at the Rutgers Snyder Research and Extension Farm in Pittstown, NJ. Cameo apple trees (Willow Drive Nursery) on three dwarfing rootstocks (G.16, M.9 NAKBT337, and B.9) were planted in a randomized

complete block design (10 replications) spaced at 1.2 X 3.6 m. (Massachusetts) and 2.5 X 4.5 m (New Jersey). All trees were trickle irrigated and were trained to a vertical axis.

Annual measurements of trunk circumference, tree height and spread (2006 and 2011 only, reported here for 2011), root suckering, fruit yield (beginning in 2003), and fruit size (NJ only in 2004, 05, 08) have been made.

Table 1. Typical Cameo trees after harvest (October 11, 2011) on M.9 NAKBT337, G.16, and B.9 rootstocks, UMass Cold Spring Orchard, Belchertown, MA.

M.9 NAKBT337	G.16	B.9
		

Table 2. Overall trunk size, tree height and spread, suckers, and percent of the rootstock shank covered with burr-knots in 2011 of Cameo apple trees on three rootstocks in the 2002 MA/NJ NC-140 Cameo Dwarf Rootstock trial.

Rootstock	Trunk cross-sectional area (cm ²)	Tree height (m)	Tree spread (m)	Root suckers (no.)	Burr-knots (%)
G.16	66.2 a	4.2 a	2.5 a	1.3 b	3 a
M.9	50.6 b	3.8 b	2.4 a	2.8 a	1 ab
B.9	29.9 c	3.3 c	2.1 b	1.5 b	0 b

Levels not followed by a common letter are significantly different (Tukey HSD, $P = 0.05$).

Results

This report presents data from the 2011 (10th and final leaf) growing season, and results are presented in Tables 1-5.

Regarding tree growth (Table 2), G.16 had the largest trunk cross-sectional area followed by M.9 and B.9. In Massachusetts, G.16 was larger than both M.9 and B.9 (Table 2). In New Jersey, G.16 and M.9 were both larger than B.9. Trees were much larger in trunk area in New Jersey than Massachusetts, except for B.9. Those on G.16 were the tallest trees (tree height), followed by M.9 and B.9. B.9 had a lesser tree spread than G.16 and M.9. G.16 had more burr-knots than B.9 (Table 2) but did not differ from M.9 (which did not differ from B.9). None of the rootstocks had a large percentage of the above-ground shank covered with burr-knots.

M.9 had more root suckers than G.16 and B.9, which did not differ (Table 2). In Massachusetts, again M.9 had more suckers than the other two rootstocks; however, in New Jersey the rootstocks did not differ in suckering (Table 3). Overall, Massachusetts had more root suckers than New Jersey.

In 2011, there was no difference in yield per tree between the rootstocks across both states (Table 4). Yield per tree was much higher

in New Jersey (36.3 kg) than in Massachusetts (15.3 kg). Cameo is highly biennial – in 2010, it was just the opposite, i.e. yield per tree in Massachusetts far exceeded New Jersey. Cumulative yield (2003-11) was higher for M.9 compared to B.9, however, M.9 did not differ from G.16 (Table 4).

Overall yield efficiency in 2011 was lowest for G.16 compared to M.9 and B.9, which did not differ (Table 4). This was also true in Massachusetts, however, in New Jersey B.9 had the highest yield efficiency compared to M.9 and G.16 which did not differ from each other (Table 5). B.9 had the highest cumulative yield efficiency (2003-2011) followed by M.9 and G.16 (Table 4). In Massachusetts, however, M.9 and B.9 did not differ but had higher yield efficiency than G.16. In New Jersey, B.9 had the highest cumulative yield efficiency compared to M.9 and G.16, which did not differ (Table 5).

Across both states, fruit size (fruit weight) did not

Table 3. Trunk size and number of root suckers by state in 2011 of Cameo apple trees on three rootstocks in the 2002 MA/NJ NC-140 Cameo Dwarf Rootstock trial.

Rootstock	Trunk cross-sectional area (cm ²)		Root suckers (no.)	
	Mass.	New Jersey	Mass.	New Jersey
G. 16	48.5 a	84.0 a	2.1 b	0.4
M.9	26.1 b	75.1 a	5.6 a	0.1
B.9	21.5 b	38.4 b	2.7 b	0.2

Levels not followed by a common letter are significantly different (Tukey HSD, $P = 0.05$).

Table 4. Overall fruit yield, cumulative yield, yield efficiency, cumulative yield efficiency, and fruit weight in 2011 of Cameo apple trees on three rootstocks in the 2002 MA/NJ NC-140 Cameo Dwarf Rootstock trial.

Rootstock	Yield per tree (2011, kg)	Cumulative yield per tree (2003-11, kg)	Yield efficiency (2011, kg/cm ² TCA)	Cum. yield efficiency (2003-11, kg/cm ² TCA)	Fruit weight (g)
G.16	26.2	181.5 ab	0.37 b	3.84 c	223
M.9	27.4	194.4 a	0.66 a	5.03 b	220
B.9	23.8	156.3 b	0.77 a	6.78 a	209

Levels not followed by a common letter are significantly different (Tukey HSD, $P = 0.05$).

Table 5. Yield efficiency and fruit size by state in 2011 of Cameo apple trees on three rootstocks in the 2002 MA/NJ NC-140 Cameo Dwarf Rootstock trial.

Rootstock	Yield per tree (2011, kg)		Cumulative yield per tree (kg, 2003-11)		Yield efficiency (kg/cm ² TCA)		Cumulative yield efficiency (kg/cm ² TCA, 2003-11)		Fruit weight (g)	
	Mass.	New Jersey	Mass.	New Jersey	Mass.	New Jersey	Mass.	New Jersey	Mass.	New Jersey
G. 16	11.4	41.0	167	196	0.24 b	0.49 b	3.76 b	3.92 b	230 a	215 b
M.9	21.2	33.6	196	193	0.88 a	0.44 b	5.63 a	4.44 b	193 b	248 a
B.9	13.4	34.3	148	164	0.63 a	0.91 a	6.84 a	6.72a	199 b	221 b

Levels not followed by a common letter are significantly different (Tukey HSD, $P = 0.05$).

differ between the rootstocks (Table 4), however, fruit in New Jersey were significantly larger (228 g) than those in Massachusetts (207 g). Within Massachusetts,

Cameo fruit from G.16 trees were larger than those from M.9 and B.9, but in New Jersey, fruit were larger from M.9 (Table 5).

Specialized. Diverse. Innovative.

At Adams County Nursery we specialize in commercial fruit tree nursery stock for a diverse, eastern market using the latest in technology and innovation.



Adams County Nursery, Inc.
(800) 377-3106 • (717) 677-4124 fax
www.acnursery.com • email: acn@acnursery.com



Maximize Your Fertilizer Efficiency and Crop Quality.

System-Cal

System-Zinc

System-Mag

System-Manganese

System-K



Agro-K, the premier name in manufacturing high quality foliar nutrients world-wide for over 30 years has partnered with CPS to provide Northeast fruit and vegetable growers with the nutrient tools they need maximize crop quality – size, firmness, storage life, and more. Agro-K produces a full line of quality foliar nutrient products including the **System™** line of **phosphite-based** micronutrients (including calcium, zinc, magnesium, manganese and potassium), to help growers improve their ground fertilizer efficiency, overall plant health and crop quality. Agro-K also offers a complete line of OMRI approved nutrients for use in organic farming.

For more information contact your local CPS crop specialist or Agro-K's Northeast Regional Mgr., Jeff McClellan at 814-574-5663 or jeff@agro-k.com.

AGRO-K CORPORATION

8030 Main Street, NE • Minneapolis, MN 55432
800-328-2418 • www.agro-k.com



Since 1932

The Best Berry Plants

- Strawberries, raspberries, blueberries, blackberries, asparagus and more!
- Where the pros go for plans and plants.
- Call for a free catalog and plasticulture guide!

41 River Road, South Deerfield, Massachusetts 01373



www.noursefarms.com 413.665.2658

Targit Sales

"Specializing in Farm Market Packaging"

1-800-526-9224

Biodegradable

PLASTIC BAGS



Targit Sales is proud to introduce our line of Biodegradable plastic bags. Our bags use a proprietary additive that renders the plastic ultimately biodegradable.



We are offering the Biodegradable bag program with all of our "Custom Imprinted" plastic bags. Our Biodegradable bags have the "EPI" (the additive company) logo on the bag as proof of its biodegradable properties.

Advertise your business along with a "tag line" to express your company's efforts to keep your community and planet green.

Targit Sales can fully customize your bags to your specifications. We can make any size, strength, and style of bag to fit your needs. We can assist you with your design, setup, and artwork.

COMMON SIZES OF BAGS:

- 13 x 10 x 24 (Great for pies, cakes and corn)
- 12 x 8 x 24 (Great for your store front)
- 8 x 5 x 21 (Perfect size for tailgate markets)

BIODEGRADABLE PLASTIC BAG BENEFITS!

- * Superior Strength!
- * Less expensive to make and ship versus paper bags!
- * Superior imprinting capability and quality...(looks better)!
- * Easier and more affordable to store (inventory)!
- * Flexibility! (customize the size, thickness, color and style to your specifications)
- * Reusability!
- * Biodegradable..breaks down quickly!

MOST COMMON QUESTIONS asked about biodegradable bags.

Will the bags begin to break down while being stored? No, the bags will retain its strength and integrity while properly stored. The breakdown only begins after it is directly exposed to certain environmental conditions such as: soil/landfill, heat/moisture, and sunlight.

Is this process more expensive? Not really, the cost increase is only a few percentage points higher. You will more than make this up with the goodwill you will be conveying to your community and customers.

Does the bag lose its strength or feel...does it look different? No, it is almost impossible to tell the difference between the Biodegradable bags and the traditional plastic bags. This is why we recommend putting a tag line on your printed biodegradable bags.

Can these bags be recycled and/or reused? Yes, these bags can be recycled and reused.

For more information or to order contact
Targit Sales
1-800-526-9224 • www.targitsales.com

Targit
sales associates
"Specialty Food Packaging"