Horticultural News

Volume 95, Number 3 Summer, 2015

Horticultural News

Editors: Winfred P. Cowgill, Jr. & Wesley R. Autio

The New Jersey State Horticultural Society was organized on August 17, 1875 at Geological Hall, Rutgers College, New Brunswick, NJ. It remains the oldest Horticultural organization in New Jersey.

Horticultural News began as the *The New Jersey State Horticultural Society News*, in October of 1920. The Society began "collecting paid membership in order to obtain funds to promote new features of the society and extend the usefulness of the society. The Horticultural Society News was started to be the official society publication." Published M. A. Blake, Professor at Rutgers College was the first president and chair of the publication committee.



Editors served as follows:

MA Blake	1920 - 1947
Norman F Childers	1948 - 1980
Win Cowgill	1981 - 1988
Emily Brown Rosen	1988 - 1990
Linda Butenis Vorsa	1991 - 1995
Jerry Frecon	1995 - 2010

June 2010: *Horticultural News* has moved to an online web-based format. The New Jersey State Horticultural Society has partnered with the University of Massachusetts *Fruit Notes*, Dr. Wesley Autio, Editor. Cowgill and Autio will be the new editors of *Horticultural News* and *Fruit Notes*.

Horticultural News is distributed to growers, extension personnel and researchers and libraries across North America. Horticultural News focuses primarily on tree-fruit culture, but addresses small-fruit cultural issues as well. Most reports are from current research at Rutgers University, University of Massachusetts, and other universities.

Horticultural News is published four times per year by the New Jersey State Horticultural Society. It is provided as a benefit to membership in the society. Membership costs \$50 per year. Each one-year subscription begins January 1 and ends December 31. Payments via check must be in United States currency and should be payable to the New Jersey State Horticultural Society. Horticultural News Electronic subscriptions are available as benefit of membership in the NJ State Horticultural Society. A hidden link will be mailed immediately after publication to members. Issues will be made freely available on this website six months after publication.

Correspondence should be sent to:

New Jersey State Horticultural Society Greg Donaldson 176 Airport Road Hackettstown, NJ 07840 TEL (908) 296-1064 Win Cowgill: wincowgill@mac.com; (908) 489-0207

For advertising opportunities, contact:

Table of Contents

When to Harvest Honeycrips: A Preliminary Evaluation of Methods Duane Greene, James Krupa, Maurine Vezina, and Jon Clements1	
Two New NC-140 Apple Trials: Vineland and Geneva Rootstocks with Honeycrisp and Fuji at Rutgers Snyder Farm Win Cowgill, Rebecca Magron, Jon Clements and Wesley Autio	
Favorite Cherry Varieties: Grower Observations Win Cowgill, Justin Weaver, Tom Hass, Gary Mount, and Evan Milburn11	
Who Buys New Jersey Peaches and Where? Pegi Adam	
New Jersey News	

Cover: Young pear fruit on 6-year-old Bartlett/OHxF87 tree. Win Cowgill photo.

When to Harvest Honeycrisp: A Preliminary Evaluation of Methods?

Duane W. Greene, James Krupa, Maureen Vezina, and Jon M. Clements Stockbridge School of Agriculture, University of Massachusetts

Honeycrisp is one of the most popular apples, not only in New England, but also nationally. But, it has a plethora of problems that have been well documented. A number of these problems can be either eliminated or their severity dramatically reduced by harvesting the fruit at the proper stage of maturity. Currently, the volume of Honeycrisp produced in the United States is insufficient to have fruit available to be stored for an extended period of time. When this happens, however, it will be important to have harvest metrics in place to provide guidance in determining the proper stage of maturity to harvest fruit that will assure high quality fruit out of storage.

DeLong et al. (2014) recently published a paper that evaluated the Delta Absorbance (DA) meter developed to determine the proper time to harvest fruit. A commercially available DA Meter (T. R. Turoni srl, Forli Italy) nondestructively measures the loss of chlorophyll from apple fruit. This loss of chlorophyll results in changing the dominant color of an immature fruit from green to varying shades of light green to yellow as fruit matures. This group of researchers in Nova Scotia conducted a series of experiments with the goal of using the DA meter to identify the appropriate fruit maturity range to harvest Honeycrisp that would result in successfully storing Honeycrisp with minimal loss due to disorders.

The purpose of this preliminary research was to evaluate the DA meter and compare the results obtained following manufacturer directions compared with other more traditional methods for evaluating fruit maturity and for determining the appropriate time to harvest Honeycrisp.

Methods

Fruit from a block of Honeycrisp/M.9 trained as a tall spindle in their fourth leaf at the UMass Cold Spring Orchard, Belchertown, MA were selected for this evaluation. Initial harvest was done on September 11, 2014. At that time, fruit from these trees had an average starch reading of about 6.0, using the Cornell Generic Starch Chart (Blanpied and Silasby, 1992). Fruit were harvested that had a light green ground color, and a portion of the fruit surface showed commercially acceptable red color. In this initial harvest, about 35 % of the fruit were harvested. Fruit from trees were taken to the lab where up to 10 fruit per tree were randomly selected for evaluation. During the evaluation process, fruit were individually marked so that the various methods of maturity assessment could be cross referenced. Fruit were visually evaluated for red color development by estimating the percent of the fruit surface with red/ pink color. The ground color was then estimated using a ground color chart on a scale of 1 to 5 in 0.5 unit increments (Bulletin 750, Ground Color for McIntosh Apples, Figure 1). This chart was developed for McIntosh apples and was published in 1948. While the match was not ideal for Honeycrisp, it was sufficiently similar to be very useful and instructive. The fruit were then




Table 1. Significance of correlation coefficients (r) between methods evaluated to assess fruit maturity of Honeycrisp apples.

	Background	Internal		Starch
Red color	color	Ethylene	DA value	content
	0.0003		0.05	0.007
0.003		0.01	0.001	0.005
	0.01			0.001
0.05	0.001			
0.007	0.005	0.001		
	0.003	0.0003 0.003 0.01 0.001	0.0003 0.003 0.01 0.05 0.001	0.0003 0.05 0.003 0.01 0.001 0.01 0.05 0.001

The statistical significance of the correlation coefficients (r) is presented in Table 1. Only the correlation coefficients that were significant at P= 0.05 or greater are presented.

Data were

evaluated using the DA meter following manufactures directions by taking two readings per fruit. Data were expressed in I_{AD} units. The internal ethylene was then determined by taking an air sample from the core cavity of the fruit and then determining the ethylene content in a 1 ml sample injected in a gas chromatograph. Fruit were then cut at the equator, dipped in an iodine solution, and then after a period of development, the starch content and pattern of development were rated on a scale of 1-8 using the Cornell Generic Starch Chart.

Results

The harvest data were statistically analyzed to determine the relationship between parameters evaluated. sorted according to each parameter used to evaluate stage of maturity. Results presented in Table 2 are those that were sorted by DA reading and the number for each parameter in the table is the mean for each fruit within that DA range. The higher the DA reading the greater the amount of chlorophyll detected in the peel. Thus, fruit with higher DA readings are less mature than fruit that have lower numbers. The internal ethylene content of fruit appeared to be quite similar and thus may have limited usefulness in identifying fruit with different levels of maturity. This confirms previous published reports. The large majority of fruit had internal ethylene levels higher than 1.0 ppm threshold, the content that we generally use for most varieties to designate a fruit

Table 2. Relationship of the delta absorbance (DA) meter in I_{AD} units with other methods to assess fruit maturity (ethylene content, starch rating, fruit red color, and background color) on first-harvest Honeycrisp apples.


	Background	Internal	Starch	Red
DA Range	color	ethylene	rating	color
(I _{AD} units)	(1-5)	(µl·L⁻¹)	(1-8)	(%)
0.91-1.00	3.1	6.1	4.9	70
0.86-0.90	3.1	7.4	4.7	55
0.81-0.85	2.7	3.0	4.7	59
0.76-0.80	2.5	7.1	5.3	66
0.71-0.75	2.3	6.3	5.3	68
0.66-0.70	2.1	7.2	5.9	72
0.61-0.65	2.1	11.3	6.3	74
0.56-0.60	2.2	7.7	6.1	68
0.51-0.55	1.8	8.5	6.0	74
0.46-0.50	1.5	6.6	6.1	76
0.36-0.45	11.8	13.1	7.2	73

Background	DA absorbance	Internal	Starch	Red
color	reading	ethylene	rating	color
(1-5)	(I _{AD} units)	(μI·L⁻¹)	(1-8)	(%)
1.0	0.53	24.8	6.8	78
1.5	0.51	8.6	6.3	74
2.0	0.62	7.3	5.8	70
2.5	0.72	6.2	5.7	69
3.0	0.80	6.7	5.1	62
3.5	0.88	4.8	5.0	50
4.0	0.91	5.8	5.3	60

Table 3. Relationship of fruit background color with delta absorbance (DA) meter and other methods to assess fruit maturity (ethylene content, starch rating, fruit red color) on first-harvest Honeycrisp apples.

to be climacteric. There was a statistically significant relationship between ethylene and red color and starch content (Table 1). Essentially, over the whole DA range the ethylene content varied little. There was a fairly close relationship between DA reading and the ground color estimation. This is not surprising since both parameters are based upon measuring or assessing the amount of chlorophyll present in the skin.

Data were sorted according to background color (Table 3). There was a statistically significant correlation between ground color and all of the other parameters measured. Even though significant, the



relationship between ground color and ethylene did not appear to be very tight and thus of questionable usefulness. There was a close relationship between background color and starch rating.

Discussion


Delong et al. (2014) suggested that fruit with a DA reading of 0.6 or higher are

more prone to develop bitter pit in storage, whereas if harvest is delayed until the DA reading of fruit drops below 0.35, fruit would be more likely to develop senescent breakdown in storage. Therefore, the ideal range for orchardist to harvest Honeycrisp using the DA meter is between 0.35 and 0.60 I_{AD} units One of the most revealing aspects of this investigation was the extremely large amount of variability that was apparent when attempting to establish relationship among maturity parameters (Figures 2 and 3). Honeycrisp appears to show more variability than most varieties.

The price of the DA meter is approximately \$4,000, thus prompting the question of whether purchasing a unit is a good investment, particularly for a small grower with limited acreage. The background color chart yielded about the same if not better information, and it was the only method that correlated well with all of the other methods evaluated to assess maturity. Its cost would be small and the time required to make appropriate readings would be equal to or less than the DA meter. Having ground color as a component in making a harvest decision seems like a more prudent investment than a DA meter. While the ground color chart used in this investigation probably is not readily available, colored sheets can be purchased and a ground color chart

assembled with relative ease. This would not be a difficult task and an activity that seems to have merit.

We conclude that it appears that the approach that makes the most sense and would be most useful is to use more than one parameter in the decision making. We suggest sampling the block periodically and do a starch test on a representative sample of fruit. When the starch readings average about 6 on the Cornell generic starch chart, make the initial harvest by spot picking. At this time, harvest all fruit that have a background color of light green, white, or light yellow (according to the ground-color chart) that also show signs of red or pink turning to red color.



References Cited

Blanpied, G. D. and K. J. Silsby. 1992. Prediction of harvest date windows for apples. Cornell Coop. Ext. Bul. 221.

DeLong, J., R. Prange, P. Harrison, D. Nichols, and H. Wright. 2014. Determination of optimal harvest boundaries for Honeycrisp fruit using a new chlorophyll meter. Can J. Plant Sci. 94:361-369.

New York College of Agriculture. 1948. Ground Color for McIntosh Apples. Bulletin 750. Cornell University, Ithaca, NY.



Two New NC-140 Apple Trials: Vineland and Geneva Rootstocks with Honeycrisp and Fuji at Rutgers Snyder Farm

Win Cowgill and Rebecca Magron New Jersey Agriculture Experiment Station

Jon M. Clements and Wesley R. Autio University of Massachusetts

Two new apple rootstock plantings were established at the Rutgers Snyder Research and Extension Farm, Pittstown, Hunterdon County, NJ. These plantings are part of the NC-140 Regional Rootstock Research Project ing coordinated by Dr. John Cline, University of Guelph, Ontario, Canada. Vineland rootstocks were bred as open-pollinated hybrids of Kerr crabapple and M.9 rootstock at the Vineland Experiment station in

(http://nc140.)org). Objective 1 is "To evaluate the influence of rootstocks on temperate-zone fruit tree characteristics grown under varying environments using sustainable management systems." In this case, the growth and productivity of Honeycrisp and Fuji apple trees on Vineland and Geneva apple rootstocks are being evaluated. The 2014 trials are located in 18 states and Canadian Provinces.

This Vineland-Geneva planting is be-



From Left to Right- Win Cowgill, Rutgers, Art Grimes, Master Gardener and Dave Johnson, Master Gardner plant the 2014 NC140 Honeycrisp trial with a Phil Brown transplanter at the Rutgers Snyder Farm. Ed Dager, Snyder Farm Supervisor operated the tractor. Photo Credit: Rebecca Magron.

Table 1. Characteristics of Fuji trees on various rootstocks in the 2014 NC-140 Apple Rootstock Trial in year one. Rutgers Snyder Farm, Pittstown, NJ.

	Spring trunk cross- sectional area	Branches	Height of graft	Fall trunk cross- sectional area	Fall-Spring change in trunk cross-
Rootstock	(cm²)	(no.)	union (cm)	(cm ²)	sectional area (cm ²
G.11	1.4 bcd	12.3 a	11.9 a	2.6 bcd	1.2 a
G.202	0.8 d	2.7 c	8.1 abcd	1.7 d	0.9 a
G.214	1.4 cd	4.6 bc	10.5 abc	2.4 cd	1.0 a
G.30	2.5 a	11.3 a	11.4 ab	3.8 a	1.5 a
G.935	1.9 abc	8.1 ab	10.3 abcd	3.3 abc	1.4 a
M.26EMLA	1.4 cd	2.5 c	11.6 ab	2.5 cd	1.1 a
M.9T337	1.3 cd	11.5 a	9.5 abcd	2.6 bcd	1.4 a
V.1	2.1 ab	8.5 ab	10.0 abcd	3.8 a	1.7 a
V.5	2.2 a	12.8 a	6.8 d	3.8 a	1.5 a
V.6	2.4 a	12.0 a	8.9 abcd	3.8 a	1.4 a
V.7	1.8 abc	9.9 a	7.5 cd	3.5 ab	1.7 a

Means within columns not followed by a common letter are statistically different at odds of 20 to 1.

Table 2. Characteristics of Honeycrisp trees on various rootstocks in the 2014 NC-140 Apple Rootstock Trial in year one. Rutgers Snyder Farm, Pittstown, NJ.

	Spring trunk cross sectional area	-	Height of Graft	Fall trunk cross- sectional area	Fall-Spring change in trunk cross- sectional area
Rootstock	(cm2)	Branches (no.)	Union (cm)	(cm²)	(cm²)
B.10	1.67 bc	11.0 cd	9.6 b	3.32 bcde	1.65 bc
G.11	1.07 ef	5.6 ef	14.2 a	2.93 de	1.87 abc
G.202	1.01 f	5.0 f	12.1 ab	2.71 de	1.71 abc
G.214	1.53 cd	19.8 a	12.3 ab	3.14 de	1.60 c
G.30	2.19 a	21.1 a	12.5 ab	4.82 a	2.64 ab
G.41	0.94 f	5.3 ef	12.6 ab	2.54 e	1.60 c
G.935	0.99 f	5.5 ef	15.0 a	2.62 e	1.63 c
G.969	1.35 cde	12.2 bcd	13.3 ab	3.71 bcd	2.36 abc
M.26EMLA	1.39 cde	7.6 def	13.5 a	3.33 bcde	1.93 abc
M.9T337	1.21 def	7.9 def	13.3 ab	3.24 cde	2.02 abc
V.1	2.27 a	10.6 cd	11.4 ab	4.33 ab	2.06 abc
V.5	1.43 cd	10.4 cde	11.6 ab	3.48 bcde	2.04 abc
V.6	2.04 ab	17.4 ab	12.3 ab	4.36 abc	2.32 abc
V.7	1.55 cd	13.5 bc	11.4 ab	4.34 abc	2.77 a
Means within columns not followed by a common letter are statistically different at odds of 20 to 1.					

Vineland, Ontario. They include V.1, V.2, V.3, V.4, V.5, V.6, and V.7. V.1 is already commercially available and is similar in vigor to M.26. V.3 is more dwarfing but is not yet commercially available. V.4 will not be commercialized, as may be the case for V.2 also. V.5, V.6, and V.7 are largely untested, although it is known V.5 and V.6 are dwarfing, while V.7 is a semi-dwarf. Vineland rootstocks are purported to be very cold-hardy and display field-resistance to fire blight. V.1 and V.3 have been tested in previous NC-140 plantings and have performed well.

Geneva rootstocks are better known and more widely available, although supply has been constrained to date. For more information on the commercially available Cornell-Geneva rootstocks, see: <u>http://www.cctec.cornell.edu/plants/GENEVA-Apple-Rootstocks-Comparison-Chart-120911.pdf</u>

The two 2014 NC-140 Vineland and Geneva apple rootstock planting with Honeycrisp and Fuji were planted April 23, 2014, at the Rutgers Snyder Farm. Both trials have V.1, V.5, V.6, V.7 and various Geneva stocks with M.9 NAKBT337 and M.26 ELMA as the controls. See the data tables for the complete list.

Trees were supplied by Willow Drive Nursery. Tree spacing is 1 x 4 m. The experimental design is a randomized complete block. Trees were trained and supported as a tall-spindle-apple. Drip irrigation was installed shortly after planting. Tree growth was excellent on the Honeycrisp trial, but the Fuji trees sat still until late July. This seemed to be the case across the other planting sites in North America. The Fuji trees supplied were very large and had very few roots. Our consensus was the trees had to make new roots before top growth could occur. In year two, the Fuji trees are off and running.

Shortly after planting in April, measurements were made of trunk circumference at 30 cm above the graft union, number of side branches greater than10 cm long, and tree height. In October after tree growth had ceased, measurements were made of trunk circumference at 30 cm above the graft union, height of graft union above soil, number of side branches greater than10 cm long, and tree height.

Results

At the end of the 2014 growing season, the largest trees as measured by trunk cross-sectional area (TCA) were on G.30, V.1, V.5, and V.6 all with a TCA of 3.8 cm² (1.5 inches²). The smallest trees were on G.202 at 1.7 cm^2 (0.7 inches^2).

There was lot of variability in the number of feathers on each tree; V.5, V.6, G.11, M.9 NAKBT337, and G.30, in order, had the most, V.5 with 12.8 feathers. G.202 had the fewest with 2.7.

At the end of the 2014 growing season, the largest trees as measured by TCA were on G.30 followed by V.6, V.7, and V.1. The smallest trees were on G.41, G.935, and G.11.

The Honeycrisp trees had more feathers overall and grew better in 2014. G.30 had the largest number of feathers with 2,1 and G.202 had the smallest with 5.



Quality Ag Equipment



Built to Last Since 1986

COMMERCIAL ORCHARD & PRODUCE EQUIPMENT



DECKOVER FIELD PACKING WAGONS

- Conveyor Compatible
- 2 Rows of Bins with Center Aisle
- 4# Steel Grate Decking
- Walking Beam Axles Standard

LOW-PRO BIN TRAILERS

- Grip Strut Steps for Safety
- 4# Steel Grate Decking
- Walking Beam Axles Standard
- GAP Required Accessories





HAYRIDE WAGONS

- Built to Suit Customer Needs
- Industry Leading Safety Features
- Multiple Seating Configurations
- Folding & Stationary Steps
- Roof Options Available



Factory Direct Sales to NJ & MA 800-523-8002 or visit us at: www.DillerAg.com 2012 Diller Ag Equipment • a Division of eXtreme Manufacturing

Optional Hitches

Diller's Exclusive

3 Year Warranty



Favorite Cherry Varieties: Grower Observations

Presented as a Panel at the 2013 Mid-Atlantic Fruit and Vegetable Conference, Hershey PA

Win Cowgill, New Jersey Agricultural Experiment Station Justin Weaver, Grower- Weaver's Orchard, Inc. Tom Hass, Grower- Cherry Hill Orchards Gary Mount, Grower-Terhune Orchards Evan Milburn, Grower- Milburn Orchards

Four outstanding growers from three states, New Jersey, Maryland and Pennsylvania spoke on a grower panel at the Mid-Atlantic Fruit and Vegetable Conference, Hershey PA in 2013. They shared their combined 170 years plus of sweet cherry cultivar knowledge with 150 other farmers.

Each grower was asked to address seven questions, I will list each question separate and list their responses.

1) Describe your orchard operation, location, acres, what do you grow, how do you market your cherries, etc.

cated in Lancaster, PA 17603 Lancaster County. We grow 40 acres of peaches and nectarines. 40 acres of apples. 3 acres of plums and apricots 23 acres of cherries as well as sweet corn and face pumpkins. Our cherry ,peach and apples are all geared towards our pick your own customers needs. In addition we have an orchard outlet that offers our fruit ready picked and is open year around. Additionally, We ship apples to Hess Brothers Fruit Company and Knouse Foods as needed. We spot pick all our trees for maturity and color multiple times for peak flavor.

- a. Weaver's Orchard http:// www.weaversorchard. com/. We are located in Morgantown Pa-Berks County. Our farm is around 100 acres: approximately 25 apple, 22 peach, 13 cherry (2A tarts), 5 other tree fruits, 12 berries, the remainder pumpkins, tomatoes asparagus etc. We have a Farm Market on the property open year round. We also do pick your own. Wholesale accounts for around 20% of our total sales.
- b. Cherry Hill Orchards - <u>http://www.cherryhillorchards.com/.</u> We are lo-



Jubileum tart cherry. Win Cowgill photo.

c. Terhune Orchards - http:// www.terhuneorchards.com. Our farm is about 200 acres in Princeton, NJ. We are best known for apples, but grow 36 different crops--many varieties of each. We sell almost 100% direct marketing with some deliveries to restaurants in our area. Also included are greenhouse crops, including lettuce and flowers throughout the winter, bakery and winery--our latest venture. We have been pioneers in using farm festivals to promote the farm and sell our crops. All the land we farm is permanently preserved and we are pleased



to have the next generation of our family committed to continuing the farm. We are recently working on succession and estate planning. We have two acres of cherries--first planting in 1996 with additions and replacements since then. We sell pick your own only-our crop is normally picked and sold in less than one day. A really large crop might take us into the next morning. With a small orchard, I would prefer to have all varieties ready to pick at the same time. So, Montmorency and Regina have marks against them for that--it is hard to keep pickers out of them even though they are not ready yet.

d. Milburn Orchards - http://www.milburnorchards.com/._ Our farm is located in northeastern Md,outside the town of Elkton. Located 3 miles east of Delaware and 3 miles south of PA. We are extremely diversified with all kinds of tree fruit, table grapes and other small fruits. Marketing all this by all methods, plus entertainment farming. Of this 400 acres plus, 27 acres are planted to sweet cherries and a few tarts. 12 acres of these are 25 years old,the others were planted in 2010. All 27 acres are 95% PYO.

- 2) What are you favorite cherry varieties, sweet and tart if you grow them? Top ten max?
 - a. Weaver's Orchard -- In no particular order: Rainier, Benton (yield consistency?-replace w/ Ebony Pearl?), Regina (yield consistency is a big problem- not sure where that will lead), Attika (yield consistency? For now Hedelfingen, Skeena?), Sweetheart (but only in high tunnels as it cracks- very late), Sandra Rose (bad cracker, spring freeze?), Cavalier/Rynbrandt (replace w/ Black Pearl, maybe Kiona?), Royalton (Replace w/ Burgundy Pearl?), Balaton (tart), Montmorency (tart), and Jubileum (my personal favorite tart to eat is but I haven't proven it to be a sound winner yet!). There are freeze concerns based on 2010 and 2012: Summit-both years, Sandra Rose-both years, Black Gold-both years, Benton-both years, but less in 2010, Hartland-both years but less in 2012, Ulster-both years but less in 2010, and Hudson-both years but less in 2010. Many others had some damage, but these stood out.
 - b. Cherry Hill Orchards -- <u>Hedelfingen</u>, <u>Vernon</u>, <u>Summit</u>, <u>Emperor Francis</u>, <u>Rainier</u>, <u>Ebony</u>,

<u>Black Pearl</u>, <u>Burgundy Pearl</u>, <u>Black York</u>, <u>At-</u> <u>tica</u>, and <u>Regina</u>.

- c. Terhune Orchards -- <u>Rainier</u> is our favorite sweet. That is, it is our customer's favorite. We have 75% Asian pyo customers, and they just cannot get enough of a yellow blush cherry. We choose our picking date by when they will be ready. <u>Montmorency</u> is our tart; I thought they would be hard to sell, but they are very popular. We try to keep pickers out until the next weekend. Other favorites are: <u>Somerset</u>, <u>Hartland</u>, <u>Chelan</u>, and <u>Schmidt</u>. Regina and Lapins are poor for us -- they look good but do not taste good.
- d. Milburn Orchards -- Many varieties were planted in the older planting. Learning from these, only 6 varieties were chosen for the new planting in 2010: two whites and four reds, all early or mid-season. No more late ones were planted because of the falling prices



the big chains charge for Washington cherries being shipped in that that time: our \$3.50 vs their \$0.99. For PYO people the red ones are of "the Bing family", the white ones are "the Rainier family." Galaxy is the only tart cherry planted, it ripening with the mid-season sweets. These are heavy producers on a semi-dwarfing, spreading tree. The earlier tart varieties have less production, and Montmorency is too late. These are my sweets in ripening order: Hartland (extremely productive, spreading tree, and a great pollinator; can be a cracker in rainy times), White Gold (I call it a smaller Rainier; great taste, great blush, great pollinator), Summit (HUGE, dark red, best taste, highly productive, no negatives), Van-del-lay (coal black, self fertile, sweet ripens with Summit, can over produce resulting with smaller cherries), Emperor Francis (an old standard white but best for this season), and Regina (BEST sweet grown on the east coast, dark red, long stems, crunchy, late bloomer, very little cracking; negatives are very vigorous tree making it hard to train and needs late blooming varieties for pollination; for pollination I wedged in trees of Gold and Black Gold at every eighth tree, in every row; it is not as productive as other varieties). Many, and I mean many, rootstocks and varieties are always planted in our test blocks. G.6 is and will be our chosen one for our needs. The only exception could be G.5 for the Regina.

- 3) What is the predominate rootstock you are growing on now? or which one do you like now or one that is promising and you will use more on future plantings.
 - a. Weaver's Orchard -- We have at least seven rootstocks on the farm. New plantings are mostly G.5 and G.6, and we are starting to evaluate G.3. As a general rule: these are heavy croppers (most self fertile varieties) go on G.6 and lighter croppers go on G.5. Location, soil vigor, desired tree height, and pruning methods can dramatically effect final tree size.

- b. Cherry Hill Orchards

 Older trees are on Mazzard. Newer plantings are
 G. 5. We have some MxM and some Krymsk stocks. The G.5 works well for us, because they are self standing if they are kept open. We maintain the tree height at 8' by mechanical topping after harvest.
- c. Terhune Orchards -- I plant all Gisela stocks. In 1994 and 1995 when I was ordering, they were called Gissen 148-1, 148-8, and 148-2. Then the names were changed to Gisela with a different numbering system, and I have been confused ever since. I have G.5, G.6, and G.7. G.7 is not sold anymore, because root suckering is a problem. G.5 is not my favorite, because it is too weak for heavy bearing and it results in small fruit, which are not a problem for pyo but are not as tasty as they could be. G.6 works well for me because of the heavy soil in the orchard site, and it has enough vigor to carry a crop. It is not as precocious



Montmorency tart cherries. Rebecca Magron photo.

and heavy bearing as I would like.

d. Milburn Orchards -- Many, and I mean many, rootstocks and varieties are always planted in our test blocks. G.6 is and will be our chosen one for our needs. The only exception could be G.5 for Regina.

4) List of varieties that have tried and have not worked for you

a. Weavers Orchard -- Sam, Schmidt, Early Robin, Sunset Bing, Royal Ann, Summit, Napolean, Ulster, Black Gold, Index, Chelan, Anderson, White Gold, and probably more.

- **b.** Cherry Hill Orchards -- Sam, Stella, Lappins, Royal Anne, and Schmidt. Decay issues on self fruitful varieties as well as lousy flavor are problems.
- c. Milburn Orchards -- Varieties no longer planted: Sam, Royalton, Somerset, Kristen, Vouge, Cavalier, Star, Vista, Lapins, Sweetheart, Bing, Rainer, and any other varieties bred on the West coast, including BC (with very few exceptions). All are extreme crackers in our climate. Some of these might be fine with high tunnels.

5) Grown in tunnels or outside?

- **a.** Weaver's Orchard -- We have approximately 3.5 acres in tunnels and 7 acres outside.
- **b.** Cherry Hill Orchards -- All are planted outside.
- c. Terhune Orchards -- I have Haygrove tunnels over the entire 2 acres. These were constructed after losing the entire crop one year when heavy rain for 4 days the week before harvest split every cherry so badly we never picked a single one. A tunnel is an absolutely necessary, in my opinion.
- e. Milburn Orchards -- All 27 acres are planted outside.

6.) What type of production system, i.e. central leader, Spanish bush?


- a. Weavers Orchard -- Mostly a central leader type tree, that is, we use Weaver modified version of the Greg Lang/ Lynn Long pruning methods found on the website <u>www.giselacherry.com</u>. We have had some trees in almost every other system around: UFO, Bi-lateral, super spindle, modified Marchant, KGB, Spanish Bush, Tall open center, etc.
- b. Cherry Hill Orchards -- Our trees are more

toward a Spanish bush. Multiple leaders make canker management easier. We hand prune after harvest.

- c. Terhune Orchards -- We use a central leader.
- d. Milburn Orchards -- Although the new UFO system was real temping (one small row is in our experimental block), we chose the modified VOGEL system in our new plantings (google vogel cherry system). All are planted 8x16, stopped at 8-9 feet high, on ridges for fast growth. All are supported with a short post for the first 4-5 years. It is very labor intense for the first 5 years but is highly productive.

7.) How do you decide on new varieties to try?

- a. Weaver Orchards -- We try almost everything.
- b. Cherry Hill Orchards -- Nursery and NY State recommendations.
- c. **Terhune Orchards** -- Plant more Rainier, but evaluate other crops first. I was going to remove an asparagus field (partly pyo) in order to plant more cherries. A pencil and paper showed me I was making more with asparagus.
- d. **Milburn Orchards** -- We maintain a test block of everything we can get out hands on!



THINK LONG TERM

LOOKING FOR TREES? Make us your first call. BECAUSE YOUR TIME IS VALUABLE – Let us manage the details. LET OUR HIGHLY QUALIFIED STAFF WORK FOR YOU!

DON'T BE LEFT OUT – CALL TODAY! 800.424.2765

BOOK FUTURE GROWER CONTRACTS NOW!



SUMMIT TREE SALES

REPRESENTING THE COUNTRY'S FINEST NURSERIES

It's our mission to help you find the trees your need!



Jan Melvin



Katie Schuld





Wally Heuser Wanda Heuser Gale

800.424.2765 • www.summittreesales.com

Dawn Melvin

Who Buys New Jersey Peaches and Where?

Pegi Adam

Consultant, New Jersey Peach Promotion Council

With the New Jersey peach season approaching the New Jersey Peach Promotion Council has commissioned and released a statewide poll of New Jersey registered voters on their peach purchases during the 2014 season. The survey found nearly half (47%) purchased New Jersey peaches last summer. Women (54%) were more likely than men (41%) to purchase New Jersey peaches, and buying patterns varied depending on region (south, central, northwest, northeast, and urban core). The poll, conducted by Fairleigh Dickinson's PublicMind, was designed to provide unbiased information for the New Jersey Peach Promotion Council to aid its marketing and promotional efforts. Survey questions covered the areas of purchasing venues (supermarkets, pick-yourown farms, on-farm stands and community farmers markets); in what media purchasers saw ads or editorials for New Jersey peaches; and visits to the website www. jerseypeaches.com

The largest overall percentages of Jersey peach purchasers were from south (58%) and northwest (54%); 37% were from the urban core. Purchase venues were widely diverse, with supermarkets higher in northern areas (50% in the urban core) than in southern areas (23% in the south), and on-farm purchases higher in the south (44%) than the urban core (15%). On-farm purchases were also quite strong in the northwest (42%) and central (40%). Aside from the survey, several supermarket produce buyers have reported that their customers request "Jersey-grown peaches" as soon as the peach season starts in late June.

"We were a bit surprised at the discrepancies of regional purchase practices," said Jerry Frecon, Rutgers professor emeritus, stone fruit specialist and consultant to the New Jersey Peach Promotion Council. "But the results will definitely provide guidelines for our marketing and promotional efforts going forward."

Where did poll respondents report seeing media coverage of New Jersey peaches? While only 24% of total respondents reported seeing any media coverage, the highest percentage of views overall were in newspapers or magazines, with southern New Jersey respondents reporting the highest such views (55%), followed by the northeast and northwest(both 49%). Thirty-two percent saw New Jersey peaches covered on television.

"Despite the fact that our website has received many hits (232,737 in 2014), the poll showed only two percent of respondents had visited the site in the past 12 months," continues Frecon. "We plan to make that site much more visible in the 2015 season."

Survey Methodology

The most recent survey by was conducted by telephone from September 1 through September 7, 2014 using a randomly selected sample of 801 registered voters who reside in New Jersey. One can be 95 percent confident that the error attributable to sampling has a range of +/- 3.5 percentage points. The margin of error for subgroups is larger and varies by the size of that subgroup. Survey results are also subject to non-sampling error. This kind of error, which cannot be measured, arises from a number of factors including, but not limited to, non-response (eligible individuals refusing to be interviewed), question wording, the order in which questions are asked, and variations among interviewers. These Fairleigh Dickinson University PublicMind interviews were conducted by Opinion America of Cedar Knolls, NJ, with professionally trained interviewers using a CATI (Computer Assisted Telephone Interviewing) system. Random selection >is achieved by computerized random-digit dialing. This technique gives every person with a landline phone number (including those with unlisted numbers) an equal chance of being selected.

The New Jersey Peach Promotion Council is a non-profit voluntary organization of growers, shippers, wholesalers and associated industries dedicated to maintaining a viable peach industry in the Garden State for the purpose of preserving farmers and farmland; and providing the highest quality and best tasting fresh peaches for consumers. New Jersey is the fourth largest peach producing state in the country, with approximately 80 orchards on 5,500 acres, producing 60-66 million pounds, valued at \$30-35-million. Details on support and membership are available at www.jersey peaches.com.





Brookfield Gala[®] High color Gala sport with exceptional shape. USPP#10016

Chelan Spur[™] Very compact, high color red delicious sport. USPPAF



1-888-548-7337 • 3539 Road 5 NW • Ephrata, WA 98823 • www.willowdrive.com



Aztec Fuji® DT2 Variety High color sport of Fuji. Aztec* Fuji is a protected trademark of Waimea Variety Management Ltd.



Lady in Red High color sport of Cripps Pink. USPP#18,787

> Ambrosia[®] Blondee[®] Cameo[®] brand Chrisolyn[®] Jonathan Granny Smith Jonastar[®] Jonagold Pink Lady[®] Brand RubyMac[®] Snowsweet[®] Spartan Zestar![®]

Gala: Buckeye[®] Gala Ultima Gala[®] Early Fuji Morning Mist[®] Rising Sun[®]

tiona

Braeburn Kumeu Crimson® Mariri Red®

New Jersey News

Atlantic County Agriculture Agent Honored for Distinguished Service to Agriculture

Award Presented to Richard VanVranken During State Agriculture Convention

Lynne Richmond

(ATLANTIC CITY) – Richard W.VanVranken of Mays Landing, Rutgers Cooperative Extension of Atlantic County Agricultural Agent, was honored February 4 with a Distinguished Service Citation to New Jersey Agriculture at the State Agricultural Convention held in Atlantic City.

"Rick VanVranken has served New Jersey's agriculture industry with passion, dedication and enthusiasm for decades," said New Jersey Secretary of Agriculture Douglas H. Fisher. "His wealth of knowledge and knack for innovation and promotion has made him an indispensable resource for our farmers in South Jersey."

VanVranken earned a Bachelor of Science and Master of Science degrees in vegetable crops from Cornell University, coming to New Jersey in 1983 to serve for the last 32 years as Agricultural Agent at Rutgers Cooperative Extension of Atlantic County. Now at the rank of professor, he heads the county extension office, as well as writes a marketing column for the American Vegetable Grower magazine.

VanVranken is well known for his work in ethnic and specialty crop development. He is co-founder of the Ethnic Produce Production and Marketing Working Group, a multi-state, multi-disciplinary team of extension agents, specialists and researchers from Rutgers, UMass, Cornell, Penn State and University of Florida that researches and conducts outreach programming on the marketing and production potential of new ethnic crops for East Coast farmers. He established the <u>WorldCrops.org</u> website that helps farmers determine the produce needs of ethnic communities and how to grow those crops. His leadership in developing these new markets was recently recognized with the Northeast Region Excellence in Extension award from the USDA National Institute of Food and Agriculture.

VanVranken co-organizes and delivers an Integrated Crop Management Twilight Meeting series to update growers and agribusiness representatives on timely disease, insect and weed identification and control, integrated pest management practices, pesticide regulations and worker protection standards. He develops and chairs educational sessions for the Annual New Jersey Vegetable Meetings, and helped create and is a regular contributor to the Rutgers Plant and Pest Advisory-Vegetable Crops newsletter.

VanVranken has actively worked to help specialty crop farmers increase their share of the retail food dollar and increase farm sustainability through direct sales to consumers. He was appointed to the first committee that developed New Jersey's initial agricultural management practices for farmer to consumer direct marketing and received a \$350,000 grant from the Mid-Atlantic Consortium to develop new methods of outreach via the internet to reach advanced agricultural audiences with marketing and local production information. He also collaborated in developing educational programs and hosting the annual Mid-Atlantic Direct Marketing conference from 1989 to 2009.

Combining his role as an educator with his passion for marketing, VanVranken has incorporated public edu-



Rich Norse, NJ State Board of Ag (on left), and NJ Secetary of Agriculture Doug Fisher (on right) present Rick Van Vranken, with the NJ Distigushed Service to Agricultural Award.

cation about all things 'Jersey Fresh' in his extension outreach programming. He calls in weekly to deliver a 'Facts from the Farm' radio spot that has been heard live on stations across South Jersey every Saturday morning for the past 17 years. For his latest project to 'tell the story' of Atlantic County's specialty crop production, he worked with the Atlantic County Board of Agriculture to obtain a Specialty Crop Block Grant to fund a mobile market/cooler wrapped with graphic scenery of Atlantic County farms.

VanVranken has received many grants to support his work and has published a variety of articles relating to his activities. He also has received multiple awards and recognitions. He chairs the RCE Vegetable Working Group, and is a member of the Agritourism Working Group, both of which have been recognized with the SEBS/NJAES Team Excellence Award.

In addition to his full workload, Rick has been an active leader in the American [Equestrian] Vaulting Association and the U.S. Equestrian Federation, serving as a regional and national officer of the AVA and on the USEF High Performance Vaulting Committee. He also coordinates and participates as a coach and lunger for New Jersey's Shooting Stars Vaulting Club. Rick and his wife, Sheila, have three grown children.

Since 1932, the New Jersey State Board of Agriculture has awarded the prestigious Citation for Distinguished Service to Agriculture to men and women who have given unselfishly of their time and talents to the advancement and betterment of the agricultural industry and rural life in New Jersey. This award is given to recognize and honor those individuals who have made outstanding contributions of public service to New Jersey agriculture. Organizations who qualify to send delegates to the New Jersey State Agricultural Convention may nominate a state farmer for the award. For more information on the Distinguished Service to Agriculture Award, visit

www.nj.gov/agriculture/about/sba/guidelin.html.



Dedicated to the Orderly Marketing and Promotion of New Jersey Peaches


FOR IMMEDIATE RELEASE

June 22, 2015

Contact Jerome L. Frecon Glassboro, NJ

Dan Haynicz Honored with Dedication of the 2015 NJ Peach Buyers Guide

The NJ Peach Buyers Guide for 2015 has been dedicated to Mr. Dan Haynicz former owner and operator of Haynicz Bros Orchards in Monroeville Gloucester County, according to Santo John Maccherone, Chair of the New Jersey Peach Promotion Council (NJPPC), Mr. Haynicz operated a fruit and vegetable with his wife Elinor and son William began their operation 1945 and started growing peaches in 1952. The Haynicz's later expanded into direct marketing by opening the Orchardview Fruit Market near Monroeville. The



Dr. Hemont Gohil, ex officio to the NJPPC and Rutgers Agricultural Agent specializing in fruit (left) and Mr. Dan Haynicz, examine the 2016 NJPPC Peach Buyers Guide dedicated to Mr. Haynicz.

retail business and the orchards continue to be operated by Mr. Haynicz's son Bill and wife Kathy.

According to Mr. Maccherone, "Dan Haynicz served as Director of both the New Jersey Peach Promotion Council, and the National Peach Council." "He also served as chair of the N. J. Peach Promotion Council and traveled to Washington on numerous occasions to lobby for peach growers and marketers, said Mr. Maccherone. "Mr. Haynicz participated in the New Jersey Peach Festival for many years and in 1999 was the recipient of the Governor's Cup presented by New Jersey Secretary of Agriculture Arthur R. Brown, for the best box of peaches in New Jersey," said Jerry Frecon consultant to the NJPPC and editor of the Peach Buyers Guide.

Mr. Haynicz is a member of the Gloucester County Board of Agriculture, The New Farm Bureau, and the American Farm Bureau. He has served on the Pioneer Farm Credit Board Advisory Committee. In 1999 he received the Distinguished Service to Agriculture Award from the Gloucester County Board of Agriculture and in 2001 the Outstanding Fruit Grower Award from the New Jersey Horticultural Society for his leadership and contributions to the NJ Fruit Industry.

Dan and the late Elinor (Reese) Haynicz were married 63 years and have two children Betty Ann Huntsinger and Bill Haynicz plus many grand and great grandchildren.

The NJPPC is honored to dedicate this year's annual Peach Buyers Guide to Mr. Haynicz for his many contributions and leadership in his community, the agricultural industry, and the art and science of peach growing and marketing reiterated Mr. Maccherone

NEW JERSEY PEACH PROMOTION COUNCIL 800 Ellis Street, Glassboro, NJ E-mail:<u>info@jerseypeaches.com</u> www.jerseypeaches.com



Dedicated to the Orderly Marketing and Promotion of New Jersey Peaches

FOR IMMEDIATE RELEASE


June 22, 2015

Contact Jerome L. Frecon Glassboro, NJ

The 2016 edition of the New Jersey Peach Buyers Guide is now available from the New Jersey Peach Promotion Council. This year's guide is 72 pages with information for prospective wholesale and retail buyers on where and how to buy and handle New Jersey peaches and nectarines.

The guide lists in alphabetical order growers and shippers of New Jersey peaches including their brands, and general information on what and how they ship. This section has been written for easier use and placement on the New Jersey Peaches web site at <u>www.jerseypeaches.com</u>. It also contains a complete listing of farm market retailers of NJ peaches with their websites and other social media information

Over the years the guide has been an important source of information for the media because it provides details and statistics on the peach industry. Color pictures of some of the most important varieties are highlighted



along with details on when they are available for buyers. A multi color availability chart explains this in detail.

Information is included on the 2015 Jersey Fresh Promotional program for peaches and the Quality-grading program run by the New Jersey Department of Agriculture. Details on officers and directors of the New Jersey Peach Promotion Council are listed along with an outline of plans for the 2015 promotional program on peaches.

For merchandisers the guide contains information on how to store and handle New Jersey peaches. The opening page of the guide explains why everyone should buy New Jersey Peaches. Buying New Jersey peaches helps to preserve peach farms and open space in the Garden State.

This year guide also contains information of food safety practices used by New Jersey Peach growers. Food safety is a big issue for shippers, retailers and other buyers.

The 2015 Peach Buyers Guide is dedicated to Mr. Daniel Haynicz of Monroeville, NJ., long time Chair and Director of the New Jersey Peach Promotion Council and Director of the National Peach Council

The guide is available by contacting jfrecon@verizon.net or by writing the New Jersey Peach Promotion Council at 800 Ellis Street, Glassboro, NJ. 08028.

Much of the information in the guide is also featured on the New Jersey Peach Promotion Council Web site at <u>www.jerseypeaches.com</u>.

NEW JERSEY PEACH PROMOTION COUNCIL 800 Ellis Street, Glassboro, NJ E-mail:<u>info@jerseypeaches.com</u> www.jerseypeaches.com

33rd Annual NJ Peach Festival July 23 – 26, 2015



4-H Fairgrounds ** Mullica Hill, NJ

* Peach Cider * Peach Ice Cream *

* Jersey Fresh Peaches & Veggies *

* Peach Baked Goods * Peach Slushies *

Commercial Peach Pak Competition & Governor's Cup Award Winners notified Thursday night.

CONTESTANTS WANTED!!

NJ Peach Queen & Little Miss Peach Contest

Ages: 5 - 18 ***** Friday, 6:00 - 8:00

You need to be pre-registered by July 23th

Down On the Farm Baby Contest Birth to 4 Yrs old Sun 10:30 AM

New Jersey Peach Bake-Off Contest

13 & UNDER & 14 & OVER Saturday, 12 noon Walk-on registrations welcome



NJ Peach Promotion Council Perfect Peach Pie & Cobbler Contest Sunday – Noon--Walk-on registration welcome – NO FEE required

> <u>Other Contests & Events</u> 4-H Mud Run-Sat-9:00 AM Kids Mud Mess -Sat- 4 PM Peach Pie Eating Contest—Sat-Noon

Applications for all contests are available on our website:

Jenna – 856-243-2984 or Chris – 856-881-1411 4-H Info – 856-307-6450 X-3

Greg Donaldson Receives Tony Russo Direct Farm Marketing Award



Greg Donaldson, farmer and Business Manager of the NJ State Horticultural Society (holding plaque), received the Tony Russo Direct Farm Marketing Award given by the New Jersey Agricultural Society. Greg was presented the award in Atlantic City in January 2015, presented by NJ Secretary of Agriculture Doug Fisher and Kristina Guttadora and Jerry Verrice from the NJ Agricultural Society.

Obituaries

Gaetano (Jim) James Matro, age 74, of Hammonton, NJ passed away peacefully on March 8, 2015 surrounded by his loving family. He was born in Elm, and lived his entire life in Hammonton. Jim was a former peach grower He earned a Bachelor's of Science from Delaware Valley College and a Master's of Science from Rutgers University. He owned and operated Matro Family Farms his entire life. See more at: <u>http://www.marinellafuneralhome.com/tribute/details/651/Gaetano_J_Matro/obituary.html#tribute-start</u>

Annabel Arenas (nee Donio), age 87, of Hammonton, NJ passed away peacefully Friday March 6, 2015. Annabel was David Arenas mother and the late Frank Donio's's sister. The Donios have been long time members and supporters of the NJ Peach Promotion Council. Annabel joined the Donio family business and served as Secretary and Treasurer of Frank Donio, Inc. and Donio Trucking Co. until 1999. She remained a partner in Donio Leasing Company. Annabel served as an essential member of the Board of Directors of Frank Donio, Inc. for remainder of her life. Predeceased by her parents Frank and Millie Donio, and brothers Samuel A. and Frank G. Donio. See more at: http://marinellafuneralhome.com/trib-ute/details/650/Annabel_D_Arena/obituary.html#sthash.VgW8F2Tv.dpuf

Ernie Christ Memorial Lecture 2015

Mid Atlantic Fruit and Vegetable Convention

Win Cowgill

New Jersey Agricultural Experiment Station

The Ernie Christ Memorial Lecture is presented at the Mid Atlantic Fruit and Vegetable Convention in January each year, held in Hershey, PA. The lecture was established in memory of Ernie Christ, the long time New Jersey Tree Fruit Specialist at Rutgers Cooperative Extension. Ernie passed on September 12, 2000. He was loved and respected by fruit growers across North America. Ernie's passion was the furthering of knowledge of peach culture and science.

Ernie was a great friend and mentor to dozens of young scientists, extension workers, and farmers, in-



Bill Shane (right) with Win Cowgill (left) at the Mid Atlantic Fruit & Vegetable Conference, 2015, Hershey, PA.



cluding Rich Marini, Sue Brown, Jerry Frecon, Mark Robson, Robert Best, Peter Melick, Ken Wightman, Bob Schutzki, Al Caggiano, Ralph DelSanti, Jack Springer, Spence Davis, John Gerwig, Gary Mount, Bill Smith, Galetta Farms, Santo Maccherone, Spitz Tomasello, and me, to name only a very few! We referred to him as Mr. Peach. The fruit industry thought so much of Ernie they named a NJAES breeding program selection after him, 'Ernie's Choice' which is still grown today.

A speakers fund was established by the NJ State Horticultural Society with an initial gift by Adams County Nursery, with continued funding from grower donations. The fund supports an invited speaker each year at the Mid Atlantic Conference. The first Ernie Christ Memorial Lecture was presented by Dr. Rich Marini, Horticulture Department Head, Penn State University, in January of 2002.

Dr. Bill Shane, MSU presented the 2015 annual Ernie Christ Memorial Lecture. Win Cowgill, Professor and Editor of Horticultural News, presented Dr. Shane with a certificate and a cash award for his invited lecture!



Fresher, Sweeter, Juicier Peaches From Circle M Farms

Exceptional quality and flavor at attractive prices Brought to you from the 4th generation family farm of Santo John Maccherone


- PLU Stickers Available
 Upon Request
- Low in Calories
- Nutritious and Delicious
- Exceptional Flavor



SANTO SAYS...

"Peaches from Circle M Farms just plain taste better. Their size and color are what your customers want, and their flavor is the icing on the cake.

That's because our orchards are tended with care and attention, and their fruit is left on the tree to ripen naturally until they reach their optimum sweetess. Then they are picked by hand, taste-tested by me to ensure quality, and packed gently into



Circle M's 30 varieties of peaches and nectarines are known for their sweetness and their luscious color. They look as good as they taste.

Discriminating customers appreciate our white flesh peaches because of their lower acid levels and supremely sweet taste.

Add it all up: Peaches from Circle M Farms are fresher and sweeter, picked by hand when their time has come, and packed with care for a longer shelf life.

Yellow, white and donut peaches and yellow and white nectarines are available early July to late September."

Call us at 856 856 207-4542 or 609 381-6465. Fax your order to 856 878-0404





Made from fresh New Jersey Peaches "Peach Cider Drink, Peach Salsa, Peach Preserves" Santo John Maccherone <u>circlemfarmsllc@gmail.com</u> Circle M Farms 88 Sandy Ridge Road Salem, N.J. 08079



Horticultural News

New Jersey State Horticultural Society 176 Airport Road Hackettstown, NJ 07840